



<b>Document number</b> 53708607-ENG-1	<b>First issued</b> 2004-03-12	<b>Revised date</b>	<b>Revision</b>	<b>Issued by</b> Staffan Königsson	<b>Page</b> 1 of 4
--	-----------------------------------	---------------------	-----------------	---------------------------------------	-----------------------

## Krafft foodslip EP-2

### 1. Product and Company identification

<b>Trade Name:</b>	<b>Supplier:</b>
Krafft foodslip EP-2	ALFA LAVAL Tumba AB Hans Stahles väg
<b>Product Type:</b>	SE-147 80 Tumba
Lubricant	Sweden Tel: +46 8 53 06 50 00
<b>Emergency number: +46 8 33 70 43</b>	

### 2. Composition and Information on the Components

See section 16 for explanation to R-phrases.

Hazardous ingredient	Weight-%	CAS No	EC No.	Classification
White mineral oil (petroleum)	60 – 100	8042-47-5	232-455-8	NC
Fett syror, talg , hydrogenerad, reaktionsprodukt med aluminium isopropoxid och bensoe syra	1 - 10	68201-44-5	269-217-8	NC

### 3. Hazard Identification

No hazardous according to Council Directive 1999/45/EC and its subsequent amendments.

### 4. First Aid Measurements

First aid – Inhalation	Seek medical attention if breathing is difficult. Fresh air, warmth and rest.
First aid – Skin contact	Remove contaminated clothes. Wash skin with soap and water. DO NOT use solvents or thinners. Launder contaminated clothing and clean shoes before reuse. If grease has been injected under the skin, seek medical advice immediately.
First aid – Eye contact	Contact doctor if problem persists. Rinse immediately with plenty of water for several minutes (hold eyelids wide apart, remove contact lenses).
First aid – Ingestion	DO NOT induce vomiting. Contact a doctor if a larger quantity is ingested.

## Krafft foodslip EP-2

### 5. Fire Fighting Measurements

Extinguishing media	Foam, carbon dioxide, dry material, sand, dolomite.
Improper Extinguishing media	Directed water jet.
Special hazards of product	In the event of fire, CO and CO <sub>2</sub> and unidentified components develop.
Protective equipment for fire fighting	A breathing apparatus is necessary for protection against poisonous gasses.

### 6. Accidental Release Measures

Personal precautions	Use specified safety equipment.
Environmental precautions	Must be prevented from entering the drains.
Spillage	Absorb with suitable material or collect and deliver to nearest refuse disposal terminal.
Additional information	Material can create slippery conditions underfoot.

### 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothes. Do not eat, drink or smoke in the area where the material is in use. Provide good ventilation when working. Containers are kept closed as far as possible.
Storage	Keep in a cool, dry and ventilated store in closed containers. Keep away from oxidizing substances and strong acids and bases. Keep away from direct sunlight.

### 8. Exposure Control / Personal Protection

Exposure limits	White mineral oil (petroleum), CAS-nr. 8042-47-5; 5mg/m <sup>3</sup> .
Respiration protection	Normally not necessary.
Eye protection	If risk of direct contact or splashing, eye and face protection must be used.
Hand protection	Use rubber gloves in the event of prolonged contact.
Skin protection	Working clothes.
Additional information	Exercise good industrial hygiene practice. Wash hands during breaks and at the end of the work.

## Krafft foodslip EP-2

### 9. Physical and Chemical Properties

Appearance	Paste.
Odour	Mild.
Colour	White.
Solubility in water	Insoluble.
Boiling point	315 °C.
Flash point	216 °C.

### 10. Stability and Reactivity

Stability	Avoid high temperatures. Stable under normal conditions.
Materials to avoid	Can react with strong oxidizing substances.
Hazardous decomposition products	In case of fire, toxic gasses can develop. Carbon oxides and traces of incompletely burned carbon compounds.

### 11. Toxicological Information

Inhalation	Inhalation of high concentrations of vapour causes irritation to the mouth, nose and throat.
Skin contact	Long-term and/or repeated skin contact can cause irritation.
Eye contact	Irritates the eyes upon contact.
Ingestion	Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may cause digestive discomfort.
LD50 oral (rat)	>10 g/kg.
LD50 dermal (rabbit)	>5 g/kg.

### 12. Eco-toxicological Information

Mobility	The product is insoluble in water.
Ekotoxicity	No results from ecological tests available. Do not release product into drain or water systems.

### 13. Disposal

General	Product and packaging should be disposed of in accordance with regional and/or national regulations.
Disposal group	EWC code: 12 01 12. Recommendation.

## Krafft foodslip EP-2

### 14. Transport Information

Not dangerous goods with regards to transport regulations.

### 15. Regulatory Information

Not classified.

### 16. Other Information

Full text of R-phrases appearing in section 2      NC Not Classified

#### **DISCLAIM OF RESPONSIBILITY**

Alfa Laval provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is only a guide to the potential hazards of the product. All individuals working with or around the product should be properly trained. Persons coming into contact with the product must be capable of exercising their own independent judgment concerning the conditions or methods of handling, storage and usage of the product. Alfa Laval will not be responsible for claims, losses, or damages of any kind resulting from the information provided in this Safety Data Sheet or the use, handling, storage or disposal of the product. **Alfa Laval makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability or fitness for a particular purpose with respect to the information set out herein or the product to which the information refers.**