

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

SECTION 1: Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name: Alfa Caus**
- **Article number:** 3180126126, 3180126172, 3284000606
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Industrial cleaner
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Technologies AB
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com

New Zealand Supplier:
Alfa Laval New Zealand Ltd
PO Box 20424, Te Rapa - Hamilton, - New Zealand
Visit: 307 Sandwich Road - Te Rapa, Hamilton, - New Zealand
Tel switchboard: +64 7 849 6025 - Fax switchboard: +64 7 849 46 19
http://www.alfalaval.co.nz - newzealand.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **Emergency telephone number:**
New Zealand:
Emergency service number: 111
National poisons centre phone: 0800 764 766.

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
Met. Corr. 1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
sodium hydroxide

(Contd. on page 2)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 1)

- **Hazard statements**

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe dusts or mists.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P405 Store locked up.
P406 Store in a corrosion resistant container /container with a resistant inner liner.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** The product is not, nor contains, a substance that is, PBT.
- **vPvB:** The product is not, nor contains a substance that is, vPvB.

SECTION 3: Composition/Information on ingredients

- **Mixtures**

- **Description:**

Mixture: consisting of the following components.

Phosphonate	<5%
-------------	-----

- **Dangerous components:**

CAS: 1310-73-2	sodium hydroxide	10-20%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
CAS: 657-84-1	sodium toluene-4-sulphonate	5-<10%
EINECS: 211-522-5	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

phosphonates	<5%
--------------	-----

- **Additional information:**

<5% Non ionic tensides
Phosphonates
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **Description of first aid measures**

- **General information:**

Wash contaminated clothing before reuse.
Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)



Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 2)

- **After skin contact:**
After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
Call a doctor immediately.
- **After eye contact:**
Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing:**
Drink plenty of water and provide fresh air. Call for a doctor immediately.
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
- **Most important symptoms and effects, both acute and delayed**
Corrosive effects. Can cause permanent eye damage.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water
Foam
Fire-extinguishing powder
Carbon dioxide
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters** Cool endangered receptacles with water spray.
- **Protective equipment:**
Wear fully protective suit.
Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
See Section 8 for information on personal protection equipment.
Wear protective equipment. Keep unprotected persons away.
Do not breathe vapour.
Do not get in eyes, on skin, or on clothing.
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Send for recovery or disposal in suitable receptacles.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- **Precautions for safe handling**

When diluting always pour product into water and not vice versa.

Ensure good ventilation/exhaustion at the workplace.

When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

Avoid contact with skin and eyes.

Ensure that washing facilities are available at the work place.

- **Information about fire - and explosion protection:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Keep container tightly closed.

Keep only in original packaging.

Store in a dry place.

- **Information about storage in one common storage facility:** Do not store together with acids.

- **Further information about storage conditions:**

Protect from frost.

Keep container tightly sealed.

- **Specific end use(s)**

Industrial cleaner

Professional use only.

SECTION 8: Exposure controls/personal protection

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 1310-73-2 sodium hydroxideWES (New Zealand) Ceiling limit: 2 mg/m³

- **DNELs**

CAS: 1310-73-2 sodium hydroxide

Oral DNEL - Long term, Systemic effects 2.3 mg/kg bw/day (Worker)

Inhalative DNEL - Long term, Local effects 1 mg/m³ (Worker)

- **PNECs**

CAS: 1310-73-2 sodium hydroxide

PNEC 6.4 mg/L (Freshwater)

23 mg/L (Freshwater sediment)

0.64 mg/L (Saltwater)

2.3 mg/L (Saltwater sediment)

51 mg/L (Water treatment plant)

0.853 mg/L (Soil)

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 4)

- **Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
No further data; see item 7.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Use only in well-ventilated areas.
In case of insufficient ventilation, wear suitable respiratory equipment.
- **Respiratory protection:**
Filter P2



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Chloroprene rubber, CR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Face protection



Tightly sealed goggles

- **Body protection:**

Use protective suit.

Alkaline resistant protective clothing

(Contd. on page 6)

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 5)

· **Environmental exposure controls** Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· Colour:	Yellowish
· Odour:	Undistinguishable.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	>100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>100 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	13-14
· Viscosity:	
· Kinematic viscosity	Not applicable.
	Not determined.
· Dynamic:	Not applicable.
	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.17 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· **Other information**

· Appearance:	
· Form:	Liquid
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Drip point:	
· Oxidising properties	Not applicable.
· Evaporation rate	Not determined.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 6)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals May be corrosive to metals.	
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **Reactivity**
Reacts with acids.
Forms heat.
- **Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **Possibility of hazardous reactions**
Violent reaction with water at higher temperatures.
Corrosive action on metals.
Reacts with base metals forming hydrogen.
- **Conditions to avoid** Do not store together with acids.
- **Incompatible materials:** Store away from metals.
- **Hazardous decomposition products:** Poisonous gases/vapours

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

CAS: 1310-73-2 sodium hydroxide		
Oral	LDLo	500 mg/kg (Rabbit) (LDLo)

- **LD/LC50 values relevant for classification:**

CAS: 1310-73-2 sodium hydroxide		
Oral	LD50	2,000 mg/kg (Rat)

- **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

- **Serious eye damage/irritation** Risk of serious damage to eyes.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 8)



Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 7)

- **Additional toxicological information:** Causes severe burns.
- **Information on other hazards**
- **Endocrine disrupting properties**
Endocrine disrupting properties from <https://edlists.org>

None of the ingredients is listed.

SECTION 12: Ecological information

· Toxicity**· Aquatic toxicity:****CAS: 1310-73-2 sodium hydroxide**

LC50 (48 h) 189 mg/L (Fish) (OECD Guideline 203 (Fish, Acute Toxicity Test))

EC50 >100 mg/L (Daphnia) (OECD Guideline 202 (Daphnia sp. Acute Immobilisati))

· Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

· Bioaccumulative potential No further relevant information available.**· Mobility in soil** No further relevant information available.**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· Other adverse effects**· Behaviour in sewage processing plants:****· Type of test Effective concentration Method Assessment**

1310-73-2 Sodium hydroxide: Short-term toxicity to aquatic invertebrates: Ceriodaphnia sp., Reliability: 2 (reliable with restrictions), Salinity: 500 µS/cm, Duration: 48 h, Endpoint: EC50, Effect concentration: 40.4 mg/L, Author: Warne M.St.J. and A.D. Schifko, Year: 1999, Title: Toxicity of Laundry Detergent Components to a Freshwater Cladoceran and their Contribution to Detergent Toxicity Bibliographic source: Ecotoxicology and Environmental Safety,44, 196-206.

SECTION 13: Disposal considerations

· Waste treatment methods**· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:**· Recommendation:**

Rinse cautiously with water for several minutes.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

NZ

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 8)

SECTION 14: Transport information

<ul style="list-style-type: none"> · UN number or ID number · NZS, IMDG, IATA 	UN1824
<ul style="list-style-type: none"> · UN proper shipping name · NZS · IMDG, IATA 	1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION mixture
<ul style="list-style-type: none"> · Transport hazard class(es) · NZS, IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · Packing group · NZS, IMDG, IATA 	II
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
<ul style="list-style-type: none"> · Maritime transport in bulk according to IMO instruments 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	<hr style="border-top: 1px dashed black;"/>
<ul style="list-style-type: none"> · NZS · Limited quantities (LQ) · Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	2 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

-NZ-

(Contd. on page 10)

Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 9)

SECTION 15: Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) no.1907/2006 (REACH)
(EC) nr 648/2004 (detergents)

· **New Zealand Inventory of Chemicals**

CAS: 1310-73-2	sodium hydroxide
CAS: 657-84-1	sodium toluene-4-sulphonate

· **HSNO Approval numbers**

CAS: 1310-73-2	sodium hydroxide	HSR001547
----------------	------------------	-----------

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

sodium hydroxide

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/
hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P406 Store in a corrosion resistant container /container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/
international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

-NZ

(Contd. on page 11)



Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 10)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

· **Relevant phrases**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· **Department issuing SDS:** Alfa Laval Corporate Standards & Regulatory Operations

· **Contact:**

Argentina: alfa.consulta@alfalaval.com
Australia: australia.info@alfalaval.com
Austria: info.mideurope@alfalaval.com
Belgium: benelux.info@alfalaval.com
Bolivia: alfa.consulta@alfalaval.com
Brazil: alfalaval.br@alfalaval.com
Bulgaria: bulgaria.info@alfalaval.com
Canada: alfacan.info@alfalaval.com
Chile: chile.informacion@alfalaval.com
China: china.info@alfalaval.com
Colombia: info.colombia@alfalaval.com
Croatia: hrvatska.info@alfalaval.com
Czech Republic: czechrepublic.info@alfalaval.com
Denmark: info.nordic.dk@alfalaval.com
Egypt: alme.marketing@alfalaval.com
Estonia: estonia.info@alfalaval.com
Finland: info.fi@alfalaval.com
France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Japan: hp.alfajp@alfalaval.com
Latvia: latvia.info@alfalaval.com

(Contd. on page 12)



Safety Data Sheet in accordance with HSNO

Printing date 20.12.2022

Version number 1

Revision: 20.12.2022

Trade name: Alfa Caus

(Contd. of page 11)

Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

-NZ-