

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

1 Identification

- **Product identifier**
- **Trade name: GC 8**
- **Article number:** 1899900-25, 1899900-26, 98500090-82
- **Application of the substance / the mixture** Adhesives
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Technologies AB
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com
- **Information department:**
For additional questions regarding safety data sheets please contact your local Alfa Laval Sales Company which you find on www.alfalaval.com or in safety data sheet under section 16: Other Informaion
- **Emergency telephone number:**
Call CHEMTREC
+1 703-741-5970 / 1-800-424-9300 CCN 844

2 Hazard(s) identification

- **Classification of the substance or mixture**

<ul style="list-style-type: none"> Flammable Liquids 2 Skin Irritation 2 Eye Irritation 2A Sensitization - Skin 1 Germ Cell Mutagenicity 2 Specific Target Organ Toxicity - Single Exposure 3 	<ul style="list-style-type: none"> H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H336 May cause drowsiness or dizziness.
<ul style="list-style-type: none"> Specific Target Organ Toxicity - Repeated Exposure 2 	<ul style="list-style-type: none"> H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Danger
- **Hazard-determining components of labeling:**
butanone
formaldehyde, oligomeric reaction products with phenol
phenol
di(benzothiazol-2-yl) disulphide
- **Hazard statements**
H225 Highly flammable liquid and vapor.
H315 Causes skin irritation.

(Contd. on page 2)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** The product is not, nor contains, a substance that is PBT

- **vPvB:** The product is not, nor contains a substance that is, vPvB.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Solvent based adhesive

(Contd. on page 3)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 2)

· Dangerous components:

CAS: 78-93-3	butanone Flammable Liquids 2, H225; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	50-<70%
CAS: 108-95-2	phenol Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Germ Cell Mutagenicity 2, H341; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Skin Corrosion 1B, H314	1-<2.5%
CAS: 120-78-5	di(benzothiazol-2-yl) disulphide Sensitization - Skin 1, H317	0.1-<0.25%
CAS: 9003-35-4	formaldehyde, oligomeric reaction products with phenol Sensitization - Skin 1, H317	1-<10%

4 First-aid measures

· Description of first aid measures**· General information:** Immediately remove any clothing soiled by the product.**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Take off immediately all contaminated clothing.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If symptoms persist consult doctor.

· After swallowing:

Wash the mouth with water.

Do NOT induce vomiting.

Contact a doctor

· Most important symptoms and effects, both acute and delayed

Vapours may cause drowsiness and dizziness.

Causes serious eye irritation.

Allergic reactions

Irritant to skin and mucous membranes.

· Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5 Fire-fighting measures

· Extinguishing media**· Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 4)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 3)

- **Special hazards arising from the substance or mixture**
Highly flammable.
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Keep away from ignition sources
Wear protective equipment. Keep unprotected persons away.
Do not breathe vapour.
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Send for recovery or disposal in suitable receptacles.
- **Methods and material for containment and cleaning up:**
Use only non-sparking tools.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 78-93-3	butanone	200 ppm
CAS: 108-95-2	phenol	15 ppm

- **PAC-2:**

CAS: 78-93-3	butanone	2700* ppm
CAS: 108-95-2	phenol	23 ppm

- **PAC-3:**

CAS: 78-93-3	butanone	4000* ppm
CAS: 108-95-2	phenol	200 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure adequate ventilation
Ensure that suitable extractors are available on processing machines
Take precautionary measures against static discharges.
Use only non-sparking tools.

(Contd. on page 5)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 4)

- Open and handle receptacle with care.
Prevent formation of aerosols.
When using do not eat, drink or smoke.
See Section 8 for information on personal protection equipment.
Eye wash bottle or emergency eye wash fountain must be found in the work place
- **Information about protection against explosions and fires:**
Highly flammable.
Highly volatile, flammable constituents are released during processing.
Fumes can combine with air to form an explosive mixture.
Flammable gas-air mixtures may be formed in empty receptacles.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
 - **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Store in cool, dry conditions in well sealed receptacles.
Protect from sunlight.
 - **Information about storage in one common storage facility:**
Keep away from combustible materials.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)**
Adhesives
Professional use only.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** Use only in well-ventilated areas.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

CAS: 78-93-3 butanone

PEL	Long-term value: 590 mg/m ³ , 200 ppm
REL	Short-term value: 885 mg/m ³ , 300 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV	Short-term value: 300 ppm Long-term value: 200 ppm BEI

CAS: 108-95-2 phenol

PEL	Long-term value: 19 mg/m ³ , 5 ppm Skin
REL	Long-term value: 19 mg/m ³ , 5 ppm Ceiling limit value: 60* mg/m ³ , 15.6* ppm *15-min; Skin
TLV	Long-term value: 5 ppm Skin; BEI, A4

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 5)

· **Ingredients with biological limit values:**

CAS: 78-93-3 butanone

BEI	2 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methyl ethyl ketone (nonspecific)

CAS: 108-95-2 phenol

BEI	250 mg/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Phenol with hydrolysis (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Use only in well-ventilated areas.
- In case of insufficient ventilation, wear suitable respiratory equipment.

· **Breathing equipment:**

- In case of insufficient ventilation, wear suitable respiratory equipment.
- Filter A



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

- Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

- Butyl rubber, BR
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 6)

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Wear protective clothing.

· **Limitation and supervision of exposure into the environment** Avoid release to the environment.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Pasty
· Color:	Yellow-brown
· Odor:	Solvent odour
· Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	80 °C (176 °F)

· **Flash point:** -4 °C (24.8 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

· Lower:	1.8 Vol %
· Upper:	11.5 Vol %

· **Oxidizing properties** Not applicable.

· **Vapor pressure at 20 °C (68 °F):** 105 hPa (78.8 mm Hg)

· **Density at 20 °C (68 °F):** 0.89 g/cm³ (7.42705 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Insoluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic at 20 °C (68 °F): 4,000 mPas

(Contd. on page 8)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 7)

Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	51-<72.5 %
VOC content:	51-<72.5 %
Solids content:	30.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Develops readily flammable gases / fumes.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

CAS: 78-93-3 butanone

Oral	LDLo	2,740 mg/kg (Rat)
------	------	-------------------

Dermal	LDLo	6,480 mg/kg (Rabbit) (LD50)
--------	------	-----------------------------

CAS: 108-95-2 phenol

Dermal	LDLo	630 mg/kg (Rabbit) (LD50)
--------	------	---------------------------

- **LD/LC50 values that are relevant for classification:**

CAS: 78-93-3 butanone

Oral	LD50	3,300 mg/kg (Rat)
------	------	-------------------

CAS: 108-95-2 phenol

Oral	LD50	317 mg/kg (Rat)
------	------	-----------------

Dermal	LD50	850 mg/kg (Rabbit)
--------	------	--------------------

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** Irritating effect.

- **Sensitization:** May cause an allergic skin reaction.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

May cause drowsiness or dizziness.

May cause heritable genetic damage.

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 9)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 8)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 108-95-2 phenol

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Not applicable.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 108-95-2 phenol

LC50 (48 h)

0.00175-67.5 mg/L (Fish) (96 h.)

EC50 (48 h)

3.1 mg/L (Daphnia)

NOEC - No observed effect concentration

0.077 mg/l

- **Persistence and degradability**

CAS: 108-95-2 phenol

Biodegradability | 62 %

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil**

Low solubility in water.

The product is not expected to be mobile in soil.

- **Results of PBT and vPvB assessment**

- **PBT:** The product is not, nor contains, a substance that is PBT

- **vPvB:** The product is not, nor contains a substance that is, vPvB.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:**

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

US

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 9)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA 	<p>UN1133</p>
<ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG, IATA 	<p>Adhesives 1133 Adhesives ADHESIVES, containing flammable liquid</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	<p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · ADR, IMDG, IATA 	
<ul style="list-style-type: none"> · Class · Label 	<div style="text-align: center;">  </div> <p>3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	<p>No</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category 	<p>Warning: Flammable liquids - F-E,S-D A</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	<p>On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L</p>
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ) 	
<ul style="list-style-type: none"> · Remarks: 	<p>Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Viscous according to ADR § 2.2.3.1.4 (Packaging group III when packed in receptacles not exceeding 450 L capacity)</p>

(Contd. on page 11)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 10)

· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Remarks:	Viscous according to 2.3.2.2 of the IMDG code (Packaging group III when packed in receptacles not exceeding 30 L capacity)
· IATA	
· Remarks:	Viscous according to IATA § 3.3.3.1 (Packaging group III when packed in receptacles not exceeding 30 L capacity)
· UN "Model Regulation":	UN1133, Adhesives, 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) no.1907/2006 (REACH)

· **Sara**

· **Section 355 (extremely hazardous substances):**

CAS: 108-95-2 | phenol

· **Section 313 (Specific toxic chemical listings):**

CAS: 108-95-2 | phenol

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

CAS: 108-95-2 | phenol

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 78-93-3 | butanone

I

CAS: 108-95-2 | phenol

D, I

(Contd. on page 12)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 11)

· **TLV (Threshold Limit Value)**

CAS: 108-95-2 | phenol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



· **Signal word** Danger

· **Hazard-determining components of labeling:**

butanone
formaldehyde, oligomeric reaction products with phenol
phenol
di(benzothiazol-2-yl) disulphide

· **Hazard statements**

H225 Highly flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a poison center/doctor if you feel unwell.
P321 Specific treatment (see on this label).
P314 Get medical advice/attention if you feel unwell.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 13)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 12)

P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use CO ₂ , powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

· **Department issuing SDS:** Alfa Laval Corporate Standards & Regulatory Operations

· **Contact:**

Argentina: alfa.consulta@alfalaval.com
Australia: australia.info@alfalaval.com
Austria: info.mideurope@alfalaval.com
Belgium: benelux.info@alfalaval.com
Bolivia: alfa.consulta@alfalaval.com
Brazil: alfalaval.br@alfalaval.com
Bulgaria: bulgaria.info@alfalaval.com
Canada: alfacan.info@alfalaval.com
Chile: chile.informacion@alfalaval.com
China: china.info@alfalaval.com
Colombia: info.colombia@alfalaval.com
Croatia: hrvatska.info@alfalaval.com
Czech Republic: czechrepublic.info@alfalaval.com
Denmark: info.nordic.dk@alfalaval.com
Egypt: alme.marketing@alfalaval.com
Estonia: estonia.info@alfalaval.com
Finland: info.fi@alfalaval.com
France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com

(Contd. on page 14)



Safety Data Sheet

acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 13)

Italy: alfalaval.italia@alfalaval.com
Japan: hp.alfajp@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

• **Date of preparation / last revision** 02/16/2023

• **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Oral 3: Acute toxicity – Category 3
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 15)



Safety Data Sheet acc. to OSHA HCS

Printing date 02/16/2023

Version 4

Reviewed on 02/16/2023

Trade name: GC 8

(Contd. of page 14)

Sensitization - Skin 1: Skin sensitisation – Category 1

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

· *** Data compared to the previous version altered.**

—US—