



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Mereta 320**
- **Article number:** 61203671-09, 61203671-10, 61203671-59
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubricating oil
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Technologies AB
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **1.4 Emergency telephone number:**
For immediate, life-threatening emergencies, call 999. For health advice and information (24h) dial 111 (NHS direct).

In Europe: Call 112 and ask for poison information.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** The product is not, nor contains, a substance that is, PBT.
- **vPvB:** The product is not, nor contains a substance that is, vPvB.

Determination of endocrine-disrupting properties

CAS: 128-37-0 | 2,6-di-tert-butyl-p-cresol

List II

GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Synthetic base oil with additives.

- **Dangerous components:**

CAS: 128-37-0 EINECS: 204-881-4 Reg.nr.: 01-2119565113-46	2,6-di-tert-butyl-p-cresol ----- Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.25-<1%
CAS: 110-25-8 EINECS: 203-749-3	oleoilsarcosine ----- Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H332; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	0.1-<1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- **After inhalation:** Supply fresh air; consult doctor if symptoms persist.
- **After skin contact:**
Take off immediately all contaminated clothing.
Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
If symptoms persist consult a doctor.
- **After swallowing:**
Rinse the mouth with water.
Do NOT induce vomiting.
Contact a doctor/physician.
- **4.2 Most important symptoms and effects, both acute and delayed**
High pressure injection under skin: local necrosis.
Prolonged and/or repeated skin contact may cause irritation.
Slight eye irritation may occur upon contact with the eyes.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Foam
Fire-extinguishing powder
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
Avoid contact with the eyes and skin.
Do not inhale dust / smoke / mist.
- **6.2 Environmental precautions:**
Avoid release to the environment.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Avoid the formation of oil haze.
When using do not eat, drink or smoke.
Avoid contact with skin and eyes.
See Section 8 for information on personal protection equipment.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a well-ventilated place. Keep container tightly closed.
Store in a dry place.
Protect from sunlight.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
- **Recommended storage temperature:** 5 - 35 °C (41 - 95 °F)
- **7.3 Specific end use(s)**
Lubricating oil
Professional use only.

GB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

WEL Long-term value: 10 mg/m³

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** Use only in well-ventilated areas.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses

· **Body protection:**



Protective work clothing

· **Environmental exposure controls**

Avoid release to the environment.

Inform respective authorities in case of seepage into water course or sewage system.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:** Colourless

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 4)

· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	250 °C (ISO 2592)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity at 40 °C	320 mm ² /s
· Dynamic:	Not determined.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.85 g/cm ³ (ISO 12185)
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Liquid
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Drip point:	
· Oxidising properties	Not applicable.
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 5)

- | | |
|----------------------------------|------|
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Material is stable under normal conditions.
- **10.2 Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Reacts with acids, alkalis and oxidising agents.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

Oral	LD50	2,930 mg/kg (Rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (Rat) (OECD 402)

CAS: 110-25-8 oleoylsarcosine

Oral	LD50	9,200 mg/kg (Rat)
Inhalative	LC50 (4 h)	1.37 mg/L (Rat)

- **Skin corrosion/irritation**
Based on available data, the classification criteria are not met.
Prolonged and / or repeated skin contact may cause irritation.
- **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
Contact with eyes may result in mild irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **Acute effects (acute toxicity, irritation and corrosivity)**
High pressure injection under skin: local necrosis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
Endocrine disrupting properties from <https://edlists.org>

CAS: 128-37-0 | 2,6-di-tert-butyl-p-cresol

List II

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 6)

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol	
LC50 (96 h)	>0.57 mg/L (Fish) (OECD 203)
EC50 (48 h)	>0.17 mg/L (Daphnia)
EC50 (72 h)	>0.42 mg/L (Algae)
NOEC - No observed effect concentration	>0.39 mg/l (Daphnia) 21 d

- **12.2 Persistence and degradability**

The product is not easily, but potentially biodegradable.

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol	
Biodegradability	30 % (OECD 302C)

CAS: 110-25-8 oleoylsarcosine	
Biodegradability	85 % 28 d (OECD 301B)

- **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

- **12.4 Mobility in soil**

Slightly soluble.

The product is not expected to be mobile in soil.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

- **12.7 Other adverse effects**

Spills may form a film on the water surface. This film may cause physical damage to aquatic organisms and reduce oxygen transfer.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Delivery of waste oil to officially authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **yes European waste catalogue**

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 7)

13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)
13 02 00	waste engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils

- **Uncleaned packaging:**
- **Recommendation:**
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- **14.1 UN number or ID number**
· **ADR, ADN, IMDG, IATA** Not regulated
- **14.2 UN proper shipping name**
· **ADR, ADN, IMDG, IATA** Not regulated
- **14.3 Transport hazard class(es)**
· **ADR, ADN, IMDG, IATA**
· **Class** Not regulated
- **14.4 Packing group**
· **ADR, IMDG, IATA** Not regulated
- **14.5 Environmental hazards:**
· **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Not regulated

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU regulation (EC) no 1272/2008 (GB CLP)
EC DIRECTIVE 2008/98/EC (waste)
EU Regulation (EC) no.1907/2006 (GB REACH)
99/45/EC
EINECS/ELINCS - Complies
 - **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
 - **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
- None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 8)

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

- **Relevant phrases**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- **Department issuing SDS:** Alfa Laval Corporate Standards & Regulatory Operations

- **Contact:**

Please contact your local Alfa Laval Sales Company for further questions.

Argentina: alfa.consulta@alfalaval.com

Australia: australia.info@alfalaval.com

Austria: info.mideurope@alfalaval.com

Belgium: benelux.info@alfalaval.com

Bolivia: alfa.consulta@alfalaval.com

Brazil: alfalaval.br@alfalaval.com

Bulgaria: bulgaria.info@alfalaval.com

Canada: alfacan.info@alfalaval.com

Chile: chile.informacion@alfalaval.com

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 9)

China: china.info@alfalaval.com
Colombia: info.colombia@alfalaval.com
Croatia: hrvatska.info@alfalaval.com
Czech Republic: czechrepublic.info@alfalaval.com
Denmark: info.nordic.dk@alfalaval.com
Egypt: alme.marketing@alfalaval.com
Estonia: estonia.info@alfalaval.com
Finland: info.fi@alfalaval.com
France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Japan: hp.alfajp@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

• **Date of previous version:** 28.04.2021

• **Version number of previous version:** 2

• **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2022

Version number 3 (replaces version 2)

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 10)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* **Data compared to the previous version altered.**

GB